

Georgia Seitz Ribbonwinners

Tatting Patterns & Shuttles

Revised by The Online Tatting Class 2022

theonlinetattingclass@gmail.com

On behalf of Georgia Seitz and The Online Tatting Class we would like to thank the many designers and tatters that have helped build the class library to what it is today. Without all those involved tatting would not be where it is today. Thank you for helping share the Art of Tatting.

Coats and Clark 1084 book 317 Learn to Knit Crochet and Tat



Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6






Fig. 7





©1985 Coats & Clark. Reproduced with permission of Coats & Clark Inc. Products and supplies for patterns shown may no longer be available."

TATTED DOILY A-1084

Shown on Back Cover

Doily measures 12 1/2" in diameter

CLARK'S "BIG BALL" Mercerized Cotton, Art. B.34, Size 20: 1 ball of No.61 Ecru; or

CLARK'S "BIG BALL" Mercerized Cotton, Art. B.345, Size 20: 1 ball of No.61 Ecru; or

J. & P. COATS "BIG BALL" Mercerized Cotton, Art. A.105, Size 20: 1 ball of Ecru.

Tatting Shuttle.

Note: When working a ring (r) each double stitch (ds) is worked onto the shuttle thread. When working a chain (ch) each double stitch is worked with the shuttle thread onto the ball thread. When working a picot (p) leave 1/4" thread free between 2 double stitches unless otherwise stated.

Rnd 1: Tie ball and shuttle thread tog. R of 3 ds, p, 3 ds, p, 3 ds, p, 3 ds; cl, rw; ch of 5 ds, p, 5 ds, p, 5 ds, p, 5 ds; (r of 3 ds, join to next p on previous r, 3 ds, p,


3 ds, p, 3 ds; cl, rw; ch of 5 ds, p, 5 ds, p, 5 ds, p, 5 ds) 7 times joining p of last r to corresponding p on first r and joining last ch to base of first r. Tie and cut. **Rnd 2:** Tie ball and shuttle thread tog. (R of 3 ds, p, 3 ds, join to center p on ch on Rnd 1; 3 ds, p, 3 ds; cl, rw; ch of 5 ds, p, 5 ds, p, 5 ds, p, 5 ds; rw) 8 times; join to base of first r. Tie and cut. **Rnd 3:** With shuttle thread only, * r of 5 ds, join to p of previous rnd, 5 ds; cl, rw, leave 1/4" thread free; r of 5 ds, p, 5 ds; cl, rw, leave 1/4" as before. Rep from *, join to base of first r. Tie and cut. **Rnd 4:** Tie ball and shuttle thread tog. Join to any free p on previous rnd; * ch of 3 ds, p, 3 ds, p, 3 ds; join to next p. Rep from *, join to first p. Tie and cut. **Rnd 5:** Rep Rnd 3.

Rnd 6: Tie ball and shuttle thread tog. Join to any p, * ch of 3 ds, large p, 3 ds; join to next p. Rep from *, join last ch to first ds. Tie and cut. **Rnd 7:** With shuttle thread only, sr of 2 ds, p, 2 ds, join to p on Rnd 6, 2 ds, p, 2 ds; cl, * rw, leave 1/4"; lr of 5 ds, p, 5 ds; cl, rw, leave 1/4"; sr of 2 ds, join to p on sr, 2 ds, join to p on Rnd 6, 2 ds, p, 2 ds; cl, rw, leave 1/4"; lr of 5 ds, join to p on lr, 5 ds; cl, rw, leave 1/4"; sr of 2 ds, join to p on sr, 2 ds, join to p on Rnd 6, 2 ds, p, 2 ds; cl. Rep from *, join last 1/4" to base of first r. Tie and cut. **Rnd 8:** Tie ball and shuttle thread tog. R of 5 ds, join to p on lr, 5 ds; cl, rw, leave 1/4"; lr of 4 ds, p, 4 ds, p, 4 ds, p and 4 ds; cl, * (rw, leave 1/4"; r of 5 ds, join to p previously used, 5 ds; cl, rw, leave 1/4"; lr of 4 ds, join to p on lr, 4 ds, p, 4 ds, p and 4 ds; cl) twice; rw, leave 1/4"; r of 5 ds, join to p of next lr, 5 ds; cl, rw, leave 1/4"; lr of 4 ds, join to p on lr, 4 ds, p, 4 ds, p and 4 ds; cl. Rep from *, join to base of first r. **Rnd 9:** Tie ball and shuttle thread tog. Sr of 3 ds, p, 3 ds, join to p on Rnd 8, 3 ds, p, 3 ds; rw, leave 1/4"; r of 5 ds, p, 5 ds; cl, rw, leave 1/4"; sr of 3 ds, join to p on sr, 3 ds, join to p on Rnd 8, 3 ds, p, 3 ds; cl, rw, leave 1/4"; lr of 5 ds, join to p of r, (2 ds, lp) 6 times; 5 ds; cl, rw, leave 1/4"; sr of 3 ds, join to p on sr, 3 ds, join to p on Rnd 8, 3 ds, p, 3 ds; cl, rw, leave 1/4"; r of 5 ds, join to lp on lr, 5 ds; cl, rw, leave 1/4"; r of 3 ds, join to p on sr, 3 ds, join to p on Rnd 8, 3 ds, p, 3 ds; cl. Rep from *, join-

ing last r to previous r and first r. Tie and cut.

Pin out to measurement, dampen and leave to dry.

Projects have been designed exclusively for specified COATS & CLARK products; therefore, we can take no responsibility if other products are used.



st(s)	stitch(es)
r	ring
ds	double stitch
p	picot
ch	chain
sr	small ring
lr	large ring
lp	large picot
cl	close
rw	reverse work
dpn	double pointed needle
rep	repeat

* or ** Repeat whatever follows the * or ** as indicated.

() Work directions given in parentheses the number of times specified.